


AJOONI SEMI ELECTRIC STACKER (ASES)



AJOONI Handling Equipments

1153, G.F, Akshardham, Pocket-3, Sec-19, Dwarka
New Delhi -110075, India Ph.: +91-8285 700 600
E-mail: info@ajooni.co.in Web: www.ajooni.co.in

AJOONI HANDLING EQUIPMENT'S

Semi Electric Stacker

AJOONI Semi electric stacker is a first choice of our warehouse industry and we produce economical choice for different material handling needs, It's have a 1.6 Kw and 2.2 kw hydraulic pump motor, heavy duty lifting pump and control valve ensure the safety of hydraulics. Built-in safety valve prevents overloading. Solid chrome plated piston rod guarantees smooth lift/lower operation. We use heavy carbon steel for mast structure which gives extra optimal performance.

Stacker different size of pallets with different weight carrying capacity. The stacker safely stack any size of plastic and wooden pallets up to desired height. AJOONI produce semi electric stacker in different color as per customer requirement. Electric stacker moved with minimum force and its design that allows 360° rotations.


We manufactured our products using quality assured components that are procured from the certified vendors of the market. Our quality experts strictly test each machine and check all parameters to ensure its 100% safe and work perfectly.

Features:

- Optional coating materials like PU, Nylon, and Rubber etc. For rollers and wheels meet different needs of customer and working ground and conditions.
- Reliable quality and best feeling of operation.
- Handle with return spring, brake, protection wheel cap, safety net etc.
- Compact design makes exceptional maneuverability in low space areas.
- Adjustable bended and forged fork and lifting supporting leg keeps stacker steady when lifting or lowering.
- We ensure that full welding from front to back of backrest its gives strength and Excellent performance with highly reliability.
- No routine maintenance at all is needed on the hydraulics unit and bearings.
- All child parts are galvanized to ensure long service life, stability as well as low noise.
- Semi Electric Stacker mainly by mast steel batteries, motors, hydraulic station, rod, chains, wheels, handles and other component parts.
- Parking brake by foot brake operation, the brake apply directly on the caster.



Handle



Fork

AJOONI HANDLING EQUIPMENT'S



Control Panel



Frame

Description	Unit	ASES -1016	ASES -1030	ASES -1035	ASES -1516	ASES -1530	ASES -2016
Load Capacity	Kg		1000		1500		2000
Min. fork height	mm				85 / 90		
Max. fork height	mm	1600	3000	3500	1600	3000	1600
Load centre distance	mm				500/600		
Wheelbase	mm				1170		
Load Wheel Size	mm				Φ80 × 69		
Steering Wheel Size	mm				Φ180 × 50		
Mast height	mm				2150		
Fork Length	mm			900 / 1100			900
Overall stacker dimensions	mm			1680 (L) x 750 (W) x 2150 (H)			
Width over forks (Adjustable)	mm				300 - 800		
Turning radius	mm				~1280		
Lift speed,laden/unladen	mm/s				90/140		
Lowering speed,laden/unladen	mm/s				120/100		
Lift motor rating	kw				1.5		
Battery voltage,capacity	v/Ah		12/100			12/120	
Battery weight	kg		20			25	
Weight(including battery)	kg	250	325	345	260	365	270

AJOONI HANDLING EQUIPMENT'S

ASES-1016 / ASES-1030 / ASES-1035 / ASES-1530

