

ajooni®



PALLETS

PRODUCT CATALOG

TAKING CARE OF THE ENVIRONMENT
& BENEFITTING THE BUSINESS



www.ajooni.co.in

RE USE
CYCLE
DUCE



**HAND PALLET TRUCK
DYNAMIC USE**



**USED IN WAREHOUSE
FOR STORAGE-STACKING**




**TYPICAL USE
RACKING**




**TYPICAL USE
STATIC**

PALLET USAGE GENERAL RULES

AJOONI Pallet have been tested to international standards. It must be handled by proper methods to avoid undesirable consequences. Please use the pallet within the stipulated general rules stated below.



- ✓ Pallet are made from thermo-plastic resin. Never place them close to fire, heater, strong acids or solvents.
- ✓ Do not throw or drop the pallet.
- ✓ Do not push loaded pallet on the floor, road or lorry: always lift up before moving.
- ✓ Always distribute goods evenly in Cross-stacked manner over the pallet surface.



- ✓ Pallet are designed only for handling, storage and distribution of well packed goods. Please use accordingly.
- ✓ Pallet become more brittle and slippery in cold room condition. Please use with care.
- ✓ Do not modify the shape of the pallet to prevent the reduction of strength.
- ✓ Do not hit the pallet edges using fork lift forks even though pallet is empty.



save our
earth



■ Hand Pallet Truck




■ Straddle Stacker



■ Forklift

PALLETS INFORMATION CHART

M. No.	DIMENSION IN MM	WITH STEEL BONE	PALLET ENTRY			APPLICATION				TRUCK			CU.FT/ Pcs	CBM/ Pcs
						STATIC WEIGHT	DYNAMIC WEIGHT	RACKING	STACKING	Size :- 19' x 7.25' x LOAD. QTY	Size :- 32' x 8.25' x LOAD. QTY	BLOCK / PCS		
APP-002	870 X 860 X 140	x	2 WAY	2 WAY	2 WAY	2500	1200	700	x	264	594	2	3.475	0.098
APP-002B	870 X 860 X 140	x	2 WAY	2 WAY	2 WAY	2000	1000	NA	x	264	594	2	3.475	0.098
APP-005	1120 X 1120 X 140	x	2 WAY	2 WAY	2 WAY	1000	500	NA	x	206	408	2	4.67	0.132
APP-005B	1120 X 1120 X 140	x	2 WAY	2 WAY	2 WAY	800	400	NA	x	206	408	2	4.67	0.132
APP-006	1200 X 1000 X 140	x	2 WAY	2 WAY	2 WAY	1500	750	NA	x	212	410	2	5.315	0.150
APP-006B	1200 X 1000 X 140	x	2 WAY	2 WAY	2 WAY	1200	600	NA	x	212	410	2	5.315	0.150
APP-007	1200 X 1000 X 160	x	4 WAY	2 WAY	2 WAY	4500	3000	800	✓	206	384	2	5.081	0.144
APP-007B	1200 X 1000 X 160	x	4 WAY	2 WAY	2 WAY	3500	2500	NA	✓	206	384	2	5.081	0.144
APP-008	1200 X 800 X 160	x	4 WAY	2 WAY	NA	4000	2000	500	✓	240	446	2	4.236	0.120
APP-008B	1200 X 800 X 160	x	4 WAY	2 WAY	NA	3200	1600	NA	✓	240	446	2	4.236	0.120
APP-013	1200 X 1000 X 125	x	4 WAY	2 WAY	4 WAY	1000	500	NA	x	256	480	2	4.683	0.133
APP-013B	1200 X 1000 X 125	x	4 WAY	2 WAY	4 WAY	800	400	NA	x	256	480	2	4.683	0.133
APP-015	1200 X 1000 X 80	x	4 WAY	NA	NA	1000	500	NA	x	376	752	2	2.77	0.078
APP-015B	1200 X 1000 X 80	x	4 WAY	NA	NA	800	400	NA	x	376	752	2	2.77	0.078
APP-022	1200 X 1000 X 135	x	4 WAY	4 WAY	NA	2000	1000	NA	✓	188	344	1	5.721	0.162
APP-022B	1200 X 1000 X 135	x	4 WAY	4 WAY	NA	1600	800	NA	✓	188	344	1	5.721	0.162
APP-023	1100 X 1100 X 150	✓	4 WAY	4 WAY	NA	3500	2500	1000	✓	160	296	1	6.41	0.182
APP-023B	1100 X 1100 X 150	✓	4 WAY	4 WAY	NA	2500	2000	500	✓	160	296	1	6.41	0.182
APP-024	1100 X 1100 X 150	x	4 WAY	4 WAY	NA	2500	1500	NA	✓	160	269	1	6.41	0.182
APP-024B	1100 X 1100 X 150	x	4 WAY	4 WAY	NA	2000	1200	NA	✓	160	296	1	6.41	0.182
APP-025	1200 X 1000 X 135	x	4 WAY	2 WAY	4 WAY	1200	650	NA	x	516	992	52	1.984	0.056
APP-025B	1200 X 1000 X 135 WITH SKID	x	4 WAY	2 WAY	4 WAY	1000	500	NA	x	516	992	52	1.984	0.056
APP-027	1200 X 800 X 135	x	4 WAY	2 WAY	2 WAY	1500	700	NA	x	646	1257	52	1.588	0.045
APP-027B	1200 X 800 X 135 WITH SKID	✓	4 WAY	2 WAY	2 WAY	1000	500	NA	x	646	1257	52	1.588	0.045
APP-029	670 X 660 X 130	x	NA	2 WAY	NA	2000	1000	NA	x	774	1440	2	1.604	0.045
APP-029B	670 X 660 X 130	x	NA	2 WAY	NA	1500	800	NA	x	774	1440	2	1.604	0.045
APP-030	1200 X 1200 X 170	x	NA	4 WAY	2 WAY	3000	1500	NA	✓	158	316	2	6.258	0.177
APP-030B	1200 X 1200 X 170	x	2 WAY	4 WAY	2 WAY	2400	1200	NA	✓	158	316	2	6.258	0.177
APP-031	1200 X 1200 X 170	✓	2 WAY	4 WAY	2 WAY	5000	3000	100	✓	158	316	2	6.258	0.177
APP-031B	1200 X 1200 X 170	✓	2 WAY	4 WAY	2 WAY	4000	2500	500	✓	158	316	2	6.258	0.177
APP-033	1050 X 1050 X 135	x	2 WAY	4 WAY	NA	1500	750	NA	✓	196	386	1	5.256	0.149
APP-033B	1050 X 1050 X 135	x	NA	4 WAY	NA	1200	600	NA	✓	196	386	1	5.256	0.149
APP-036B	1100 X 1100 X 120	x	NA	4 WAY	NA	1500	1100	NA	x	208	380	1	5.128	0.145
APP-037	1050 X 1050 X 120	x	NA	4 WAY	NA	1000	500	NA	x	216	430	1	4.672	0.132
APP-037B	1050 X 1050 X 120	x	NA	4 WAY	NA	1500	1000	NA	x	216	430	1	4.672	0.132
APP-038	1100 X 1100 X 135	x	NA	2 WAY	4 WAY	1200	500	NA	x	536	972	52	2.001	0.057
APP-038B	1100 X 1100 X 135 WITH SKID	x	4 WAY	2 WAY	4 WAY	1000	400	NA	x	536	972	52	2.001	0.057
APP-039	1100 X 900 X 135	x	4 WAY	2 WAY	4 WAY	1200	500	NA	x	648	1196	52	1.637	0.046
APP-039B	1100 X 900 X 135 WITH SKID	✓	4 WAY	2 WAY	4 WAY	1000	400	NA	x	548	1196	52	1.637	0.046
APP-040	1150 X 1150 X 120	x	4 WAY	4 WAY	2 WAY	1200	700	NA	x	280	352	1	5.604	0.159
APP-040B	1150 X 1150 X 120	x	4 WAY	4 WAY	2 WAY	1500	1000	NA	x	280	352	1	5.604	0.159
APP-041	1200 X 1000 X 160	✓	4 WAY	2 WAY	2 WAY	7000	5000	1000	✓	168	384	2	5.030	0.142
APP-041B	1200 X 1000 X 160	✓	4 WAY	2 WAY	2 WAY	5500	4000	800	✓	168	384	2	5.030	0.142
APP-042	1200 X 1000 X 160	x	NA	2 WAY	NA	4500	3000	800	✓	168	384	2	5.030	0.142
APP-042B	1200 X 1000 X 160	x	2 WAY	2 WAY	2 WAY	3500	2500	NA	✓	168	384	2	5.030	0.142




HEAVY DUTY PALLETS

M.No. :- APP-002

Dimension :	870 x 860 x 140mm
Weight :	7.95 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	2500 Kg. Unified Load
Dynamic :	1200 Kg. Unified Load
Racking :	700 Kg. Unified Load
Top Surface :	Perforated / 3 Runner

Entry




HEAVY DUTY PALLETS

M.No. :- APP-002 G

Dimension :	870 x 860 x 140mm
Weight :	8.20 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	2500 Kg. Unified Load
Dynamic :	1200 Kg. Unified Load
Racking :	700 Kg. Unified Load
Top Surface :	Perforated / 3 Runner

Entry




EXPORT PALLETS

M.No. :- APP-002 B

Dimension :	870 x 860 x 140mm
Weight :	8.60 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	2000 Kg. Unified Load
Dynamic :	1000Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 3 Runner

Entry




MEDIUM DUTY PALLETS

M.No. :- APP-005

Dimension :	1120x1120x140mm
Weight :	7.15 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	1000 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	N.A
Top Surface :	Perforated / 3 Runner

Entry




MEDIUM DUTY PALLETS

M.No. :- APP-005 G

Dimension :	1120x1120x140mm
Weight :	7.60 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	1000 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	N.A
Top Surface :	Perforated / 3 Runner

Entry




EXPORT PALLETS

M.No. :- APP-005 B

Dimension :	1120x1120x140mm
Weight :	8.75 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	800 Kg. Unified Load
Dynamic :	400 Kg. Unified Load
Racking :	N.A
Top Surface :	Perforated / 3 Runner

Entry




MEDIUM DUTY PALLETS

M.No. :- APP-006

Dimension :	1200x1000x140mm
Weight :	10.40 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	1500 Kg. Unified Load
Dynamic :	750 Kg. Unified Load
Racking :	N.A
Top Surface :	Plain / 3 Runner

Entry




MEDIUM DUTY PALLETS

M.No. :- APP-006 G

Dimension :	1200x1000x140mm
Weight :	10.90 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	1500 Kg. Unified Load
Dynamic :	750 Kg. Unified Load
Racking :	N.A
Top Surface :	plain / 3 Runner

Entry




EXPORT PALLETS

M.No. :- APP-006 B

Dimension :	1200x1000x140mm
Weight :	11.25 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	BLACK
Static :	1200 Kg. Unified Load
Dynamic :	600 Kg. Unified Load
Racking :	N.A
Top Surface :	plain / 3 Runner

Entry






HEAVY DUTY PALLETS

M.No. :- APP-007

Dimension : 1200x1000x160mm
Weight : 15.40 Kg. $\pm$ 5%
Material : HDPE
Colour : Blue
Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 4500 kg. Dynamic : 3000 kg. Racking : 800 kg.	Static : 3500 kg. Dynamic : 800 kg. Racking : 800 kg.





HEAVY DUTY PALLETS

M.No. :- APP-007 G

Dimension : 1200x1000x160mm
Weight : 16.00 Kg. $\pm$ 5%
Material : PP
Colour : Green
Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 4500 kg. Dynamic : 3000 kg. Racking : 800 kg.	Static : 3500 kg. Dynamic : 800 kg. Racking : 800 kg.




EXPORT PALLETS

M.No. :- APP-007 B

Dimension : 1200x1000x160mm
Weight : 16.50 Kg. $\pm$ 5%
Material : PP PROCESS
Colour : Blue
Top Surface : Perforated / 3 Runner


IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 3500 kg. Dynamic : 2500 kg. Racking : NA.	Static : 3000 kg. Dynamic : 700 kg. Racking : NA.



MEDIUM DUTY PALLETS

M.No. :- APP-008

Dimension : 1200x800x160mm
Weight : 11.40 Kg. $\pm$ 5%
Material : HDPE
Colour : Blue
Static : 4000 Kg. Unified Load
Dynamic : 2000 Kg. Unified Load
Racking : 500 Kg. Unified Load
Top Surface : Perforated / 3 Runner




*Compulsory Wrapping for Dynamic Load

MEDIUM DUTY PALLETS

M.No. :- APP-008 G

Dimension : 1200x800x160mm
Weight : 11.9 Kg. $\pm$ 5%
Material : PP
Colour : Green
Static : 4000 Kg. Unified Load
Dynamic : 2000 Kg. Unified Load
Racking : 500 Kg. Unified Load
Top Surface : Perforated / 3 Runner




*Compulsory Wrapping for Dynamic Load

EXPORT PALLETS

M.No. :- APP-008 B

Dimension : 1200x800x160mm
Weight : 12.30 Kg. $\pm$ 5%
Material : PP PROCESS
Colour : Black
Static : 3200 Kg. Unified Load
Dynamic : 1600 Kg. Unified Load
Racking : NA
Top Surface : Perforated / 3 Runner




*Compulsory Wrapping for Dynamic Load

MEDIUM DUTY PALLETS

M.No. :- APP-013


Dimension : 1200x1000x125mm
Weight : 10.80 Kg. $\pm$ 5%
Material : HDPE
Colour : Blue
Static : 1000 Kg. Unified Load
Dynamic : 500 Kg. Unified Load
Racking : N.A
Top Surface : plain / 9 legs



MEDIUM DUTY PALLETS

M.No. :- APP-013 G

Dimension : 1200x1000x125mm
Weight : 10.90 Kg. $\pm$ 5%
Material : PP
Colour : Green
Static : 1000 Kg. Unified Load
Dynamic : 500 Kg. Unified Load
Racking : N.A
Top Surface : plain / 9 legs




*Compulsory Wrapping for Dynamic Load

EXPORT PALLETS


M.No. :- APP-013 B

Dimension : 1200x1000x125mm
Weight : 11.60 Kg. $\pm$ 5%
Material : PP PROCESS
Colour : Black
Static : 800 Kg. Unified Load
Dynamic : 400 Kg. Unified Load
Racking : N.A
Top Surface : plain / 9 legs



*Compulsory Wrapping for Dynamic Load

* Compulsory Wrapping for Dynamic Load



MEDIUM DUTY PALLETS

M.No. :- APP-015

Dimension :	1200x1000x80mm
Weight :	8.45 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	1000 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	NA
Top Surface :	Plain / 9 legs

Entry




MEDIUM DUTY PALLETS

M.No. :- APP-022

Dimension :	1200x1000x135mm
Weight :	8.50 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	2000 Kg. Unified Load
Dynamic :	1000 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 6 Runner

Entry



HEAVY DUTY PALLETS


M.No. :- APP-023

Dimension :	1100x1100x150mm
Weight :	19.10 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	3500 Kg. Unified Load
Dynamic :	2500 Kg. Unified Load
Racking :	1000 kg. Unified Load
Top Surface :	Perforated / 6 Runner

Entry



* Compulsory Wrapping for Dynamic Load




MEDIUM DUTY PALLETS

M.No. :- APP-015 G

Dimension :	1200x1000x80mm
Weight :	8.6 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	1000 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 9 Leg

Entry





MEDIUM DUTY PALLETS

M.No. :- APP-022 G

Dimension :	1200x1000x135mm
Weight :	8.60 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	2000 Kg. Unified Load
Dynamic :	1000 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 6 Runner

Entry




HEAVY DUTY PALLETS

M.No. :- APP-023 G

Dimension :	1100x1100x150mm
Weight :	20.10 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	3500 Kg. Unified Load
Dynamic :	2500 Kg. Unified Load
Racking :	1000 kg. Unified Load
Top Surface :	Perforated / 6 Runner

Entry



* Compulsory Wrapping for Dynamic Load





EXPORT PALLETS

M.No. :- APP-015 B

Dimension :	1200x1000x80mm
Weight :	9.10 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	800 Kg. Unified Load
Dynamic :	400 Kg. Unified Load
Racking :	NA
Top Surface :	Plain / 9 legs

Entry




EXPORT PALLETS

M.No. :- APP-022 B

Dimension :	1200x1000x135mm
Weight :	9.20 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	1600 Kg. Unified Load
Dynamic :	800Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 6 Runner

Entry




EXPORT PALLETS

M.No. :- APP-023

Dimension :	1100x1100x150mm
Weight :	20.60 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	2500 Kg. Unified Load
Dynamic :	2000 Kg. Unified Load
Racking :	500 kg. Unified Load
Top Surface :	Perforated / 6 Runner

Entry






HEAVY DUTY PALLETS

M.No. :- APP-024

Dimension :	1100x1100x150mm
Weight :	13.40 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	2500 Kg. Unified Load
Dynamic :	1500 Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 6 Runner



* Compulsory wrapping For Dynaic Load




HEAVY DUTY PALLETS

M.No. :- APP-024 G

Dimension :	1100x1100x150mm
Weight :	14.00 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	2500 Kg. Unified Load
Dynamic :	1500 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 6 Runner



* Compulsory wrapping For Dynaic Load




EXPORT PALLETS

M.No. :- APP-024 B

Dimension :	1100x1100x150mm
Weight :	14.50 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	2000 Kg. Unified Load
Dynamic :	1200 Kg. Unified Load
Racking :	N/A
Top Surface :	Perforated / 6 Runner



* Compulsory wrapping For Dynaic Load




EXPORT PALLETS

M.No. :- APP-025

Dimension :	1200x1000x135mm
Weight :	6.10 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	1200 Kg. Unified Load
Dynamic :	650 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 9 legs



* Compulsory wrapping For Dynaic Load




EXPORT PALLETS

M.No. :- APP-025 G

Dimension :	1200x1000x135mm
Weight :	6.40 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	1200 Kg. Unified Load
Dynamic :	650 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 9 legs



* Compulsory wrapping For Dynaic Load




EXPORT PALLETS

M.No. :- APP-025 B

Dimension :	1200x1000x135mm
Weight :	6.60 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	1000 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 9 legs




* Compulsory wrapping For Dynaic Load



EXPORT PALLETS

M.No. :- APP-027


Dimension :	1200x800x135mm
Weight :	4.60 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	1500 Kg. Unified Load
Dynamic :	700 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 9 legs



EXPORT PALLETS

M.No. :- APP-027 G

Dimension :	1200x800x135mm
Weight :	4.80 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	1500 Kg. Unified Load
Dynamic :	700 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 9 legs




EXPORT PALLETS

M.No. :- APP-027 B

Dimension :	1200x800x135mm
Weight :	5.00 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	1000 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 9 legs







CERAMIC PALLETS

M.No. :- APP-029

Dimension :	670x660x130mm
Weight :	5.00 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	2000 Kg. Unified Load
Dynamic :	1000Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 3 Runner

Entry




CERAMIC PALLETS

M.No. :- APP-029 G

Dimension :	670x660x130mm
Weight :	5.30 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	2000 Kg. Unified Load
Dynamic :	1000Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 3 Runner

Entry



CERAMIC PALLETS

M.No. :- APP-029 B

Dimension :	670x660x130mm
Weight :	5.40 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	1500 Kg. Unified Load
Dynamic :	800Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 3 Runner

Entry




HEAVY DUTY PALLETS

M.No. :- APP-030

Dimension :	1200x1200x170mm
Weight :	19.85 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	3000 Kg. Unified Load
Dynamic :	1500 Kg. Unified Load
Racking :	NA
Top Surface :	Plain / 3 Runner

Entry




HEAVY DUTY PALLETS

M.No. :- APP-030 G

Dimension :	1200x1200x170mm
Weight :	20.35 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	3000 Kg. Unified Load
Dynamic :	1500 Kg. Unified Load
Racking :	N.A.
Top Surface :	Plain / 3 Runner

Entry




EXPORT PALLETS

M.No. :- APP-030 B

Dimension :	1200x1200x170mm
Weight :	21.5 Kg. $\pm$ 5%
Material :	Recycled
Colour :	Black
Static :	2400 Kg. Unified Load
Dynamic :	1200 Kg. Unified Load
Racking :	N.A.
Top Surface :	Plain / 3 Runner

Entry




MEDIUM DUTY PALLETS

M.No. :- APP-031

Dimension :	1200x1200x170mm
Weight :	25.40 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	5000 Kg. Unified Load
Dynamic :	3000 Kg. Unified Load
Racking :	1000 kg. Unified Load
Top Surface :	Plain / 3 runner

Entry




MEDIUM DUTY PALLETS

M.No. :- APP-031 G

Dimension :	1200x1200x170mm
Weight :	26.20 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	5000 Kg. Unified Load
Dynamic :	3000 Kg. Unified Load
Racking :	1000 kg. Unified Load
Top Surface :	Plain / 3 runner

Entry




EXPORT PALLETS

M.No. :- APP-031 B

Dimension :	1200x1200x170mm
Weight :	27.40 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	4000 Kg. Unified Load
Dynamic :	2500 Kg. Unified Load
Racking :	500 kg. Unifide Load
Top Surface :	Perforated / 9 legs

Entry






EXPORT PALLETS

M.No. :- APP-033

Dimension :	1050x1050x135mm
Weight :	7.20 Kg. ± 5%
Material :	HDPE
Colour :	Blue
Static :	1500 Kg. Unified Load
Dynamic :	750 Kg. Unified Load
Racking :	N.A
Top Surface :	Perforated / 6 runner

Entry





EXPORT PALLETS

M.No. :- APP-033 G

Dimension :	1050x1050x135mm
Weight :	7.50 Kg. ± 5%
Material :	PP
Colour :	Green
Static :	1500 Kg. Unified Load
Dynamic :	750 Kg. Unified Load
Racking :	N.A
Top Surface :	Perforated / 6 runner

Entry




EXPORT PALLETS


M.No. :- APP-033 B

Dimension :	1050x1050x135mm
Weight :	7.80 Kg. ± 5%
Material :	PP PROCESS
Colour :	Black
Static :	1200 Kg. Unified Load
Dynamic :	600 Kg. Unified Load
Racking :	N.A
Top Surface :	Perforated / 6 runner

Entry



Injection Molded, Recycle PP, perforated Double Ceck, full perimeter 6-Runner, 4-way Entry, non-reversible, one-way application pallet. Load Bearing Capacity : Static Load : on ground floor UDL 2000 kg. for light weight products; Dynamic Load UDL 1000 kg; for light weight products. Racking - not applicable. MHE & HPT : wider HPT with width over fork of 685mm recommended for floor use. Forklift width over Fork Distance should be Ideally 700mm



EXPORT PALLETS

M.No. :- APP-036 B


Dimension :	1100x1100x120mm
Weight :	6.70 Kg. ± 5%
Material :	PP PROCESS
Colour :	Black
Static :	1500 Kg. Unified Load
Dynamic :	1100 Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 6 runner

Entry



Standard Features:

- Stackable Pallet in Sea Freight containers & floor use for light weight products.
- Stretch wrap ribs - add tamper evidence to stretch wrap. you can't remove & re-fit stretch wrap, Ribs would tear it while removing.
- Safety Belt hook - Use Strapping belt to make NON-UDL load, enhance safety of your product. Enhance stacking stability during prolonged storage & multiple handling.
- PP Strapping Slot- We recommend low cost PP strapping for small cartons crates, small PET// Glass bottles. Separators & top cap available on request. The in-built provision of PP strapping slot enables multiple handling of these light weight manifold numbers. Small objects do not fall-off the pallet during handling or with little jerk or light hit.
- Top deck perforation designed anti-slip for products & pallet do not slip off from forks due to special design anti-skid grommets.




MEDIUM DUTY PALLETS

M.No. :- APP-037

Dimension :	1050X1050x120mm
Weight :	5.75Kg. ± 5%
Material :	HDPE
Colour :	Blue
Static :	1000 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	N.A
Top Surface :	Perforated / 6 Runner

Entry





MEDIUM DUTY PALLETS

M.No. :- APP-037 G

Dimension :	1050X1050x120mm
Weight :	6.00Kg. ± 5%
Material :	PP
Colour :	Green
Static :	1000 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	N.A
Top Surface :	Perforated / 6 Runner

Entry



EXPORT PALLETS


M.No. :- APP-037 B

Dimension :	1050X1050x120mm
Weight :	6.60 Kg. ± 5%
Material :	PP PROCESS
Colour :	Black
Static :	1500 Kg. Unified Load
Dynamic :	1000 Kg. Unified Load
Racking :	N.A
Top Surface :	Perforated / 6 Runner

Entry



*Compulsory Wrapping for Dynamic Load




NASTABLE MEDIUM DUTY PALLET

M.No. :- APP-038

Dimension :	1100x1100x135mm
Weight :	5.45 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	1200 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 9 legs



*Compulsory Wrapping for Dynamic Load




NASTABLE MEDIUM DUTY PALLET

M.No. :- APP-038 G

Dimension :	1100x1100x135mm
Weight :	5.70 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	1200 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 9 legs



*Compulsory Wrapping for Dynamic Load




NASTABLE EXPORT PALLET

M.No. :- APP-038 B

Dimension :	1100x1100x135mm
Weight :	5.90 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	1000 Kg. Unified Load
Dynamic :	400 Kg. Unified Load
Racking :	N.A.
Top Surface :	Perforated / 9 legs



*Compulsory Wrapping for Dynamic Load




NASTABLE MEDIUM DUTY PALLET

M.No. :- APP-039

Dimension :	1100x900x135mm
Weight :	4.20 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Black
Static :	1200 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 9 Legs



*Compulsory Wrapping for Dynamic Load




NASTABLE MEDIUM DUTY PALLET

M.No. :- APP-039 G

Dimension :	1100x900x135mm
Weight :	4.60 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	1200 Kg. Unified Load
Dynamic :	500 Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 9 Legs




*Compulsory Wrapping for Dynamic Load



NASTABLE EXPORT PALLET

M.No. :- APP-039 B


Dimension :	1100x900x135mm
Weight :	4.80 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	1000 Kg. Unified Load
Dynamic :	400 Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 9 Legs



EXPORT PALLET

M.No. :- APP-040

Dimension :	1150x1150x120mm
Weight :	7.95 Kg. $\pm$ 5%
Material :	HDPE
Colour :	Blue
Static :	1200 Kg. Unified Load
Dynamic :	700 Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 6 Runners



EXPORT PALLET

M.No. :- APP-040 G

Dimension :	1150x1150x120mm
Weight :	8.35 Kg. $\pm$ 5%
Material :	PP
Colour :	Green
Static :	1200 Kg. Unified Load
Dynamic :	700 Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 6 Runners




EXPORT PALLET

M.No. :- APP-040 B

Dimension :	1150x1150x120mm
Weight :	8.60 Kg. $\pm$ 5%
Material :	PP PROCESS
Colour :	Black
Static :	1500 Kg. Unified Load
Dynamic :	1000 Kg. Unified Load
Racking :	NA
Top Surface :	Perforated / 6 Runners






HEAVY DUTY PALLETS

M.No. :- APP-041


Dimension : 1200x1000x160mm
Weight : 19.10 Kg. $\pm$ 5%
Material : HDPE
Colour : Blue
Static : 7000 Kg. Unified Load
Dynamic : 5000 Kg. Unified Load
Racking : 1000 kg. Unified Load
Top Surface : Perforated / 3 Runner



HEAVY DUTY PALLETS

M.No. :- APP-041 G


Dimension : 1200x1000x160mm
Weight : 19.80 Kg. $\pm$ 5%
Material : PP
Colour : Green
Static : 7000 Kg. Unified Load
Dynamic : 5000 Kg. Unified Load
Racking : 1000 kg. Unified Load
Top Surface : Perforated / 3 Runner



EXPORT PALLETS

M.No. :- APP-041 B

Dimension : 1200x1000x160mm
Weight : 20.60 Kg. $\pm$ 5%
Material : PP PROCESS
Colour : Black
Static : 5500 Kg. Unified Load
Dynamic : 4000 Kg. Unified Load
Racking : 800 kg. Unified Load
Top Surface : Perforated / 3 Runner



HEAVY DUTY PALLETS


M.No. :- APP-042

Dimension : 1200x1000x160mm
Weight : 14.10 Kg. $\pm$ 5%
Material : HDPE
Colour : Blue
Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load) RESIN BAG (Unified Load)

Static : 4500 kg.
 Dynamic : 3000 kg.
 Racking : 800 kg.

Static : 4500 kg.
 Dynamic : 1500 kg.
 Racking : 800 kg.



HEAVY DUTY PALLETS


M.No. :- APP-042 G

Dimension : 1200x1000x160mm
Weight : 14.80 Kg. $\pm$ 5%
Material : PP
Colour : Green
Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load) RESIN BAG (Unified Load)

Static : 4500 kg.
 Dynamic : 3000 kg.
 Racking : 800 kg.

Static : 4500 kg.
 Dynamic : 1500 kg.
 Racking : 800 kg.



EXPORT PALLETS

M.No. :- APP-042 B

Dimension : 1200x1000x160mm
Weight : 15.25 Kg. $\pm$ 5%
Material : PP
Colour : Black
Top Surface : Perforated / 9 Legs

IRON BOX (Unified Load) RESIN BAG (Unified Load)

Static : 3500 kg.
 Dynamic : 2500 kg.
 Racking : NA

Static : 3500 kg.
 Dynamic : 1200 kg.
 Racking : NA



Skids

M.No. :- OSK - 001

Dimension : 1185 x 105 x 40 mm
Weight : 0.57kg. $\pm$ 5%
Material : PP PROCESS
Colour : Black

SKIDS AVAILABLE FOR :- M. No.
 OP-025, OP-027,



Skids

M.No. :- OSK - 002

Dimension : 1135 x 105 x 40mm
Weight : 0.55kg. $\pm$ 5%
Material : PP PROCESS
Colour : Black

SKIDS AVAILABLE FOR :- M. No.
 APP - 025/027/028

Skids are used for racking the pallets and dissociable to decrease the volume. It is also very economical for transportation.

Skids are used for racking the pallets and dissociable to decrease the volume. It is also very economical for transportation.



There are Two Types of Hand Pallet Trucks Available
 (1.) Width :- 680mm (2.) Width :- 550mm
NOTE :- Please Use Hand Pallet Trucks Accordingly

WHY AJOONI PALLET?

- ECONOMICAL AND LONG LASTING
- STURDY AND DURABLE
- MEETS THE REQUIREMENT STANDARD
- EASY TO CLEAN & WASH
- CONSISTENT QUALITY
- CONTAMINATION FREE
- RECYCLABLE



Scan QR Code
for company details



AJOONI

STORAGE SYSTEMS

Office Address -
1153, Ground Floor, Akshardham,
Pocket-3, Sector -19, Dwarka,
New Delhi - 110075, India

Registered Address -
B-101, Anmol Building,
Plot-3A, Sector-2, Dwarka,
New Delhi- 110075, India

info@ajooni.co.in | www.ajooni.co.in | +91-11-4545 3626, +91-8285 700 600